

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 3081.143WOUS

Dirk Mühlhoff, et al.

Confirmation No.: 6153

Application No.: 10/565,018

Examiner: Ahmed M. Farah

Filed: January 18, 2006

Group Art Unit: 3769

For: METHOD AND DEVICE FOR PRODUCING CURVED SECTIONS  
IN A TRANSPARENT MATERIAL

---

PATENT TERM ADJUSTMENT LETTER OF CANDOR AND GOOD FAITH

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

The attention of the Office is directed to the Patent Term Adjustment reported by the Office for the instant case. The reported PTA of 1451 days is thought by Applicants to be at least ten days longer than appropriate, due to two sources of discrepancy. First, Applicants' term was not reduced for the replacement drawings submitted on December 2, 2010. Second, Applicants' term was incorrectly debited for submission of a change in address on March 9, 2011. Applicants respectfully requests that the Office verify and confirm the applied PTA before issuance of the patent.

Therefore, because Applicants' December 2, 2010 replacement drawing submission was filed after Applicants' October 18, 2010 Amendment, it should be considered a Supplemental Reply and the Applicant should have been debited 45 days of PTA. This is not indicated on the USPTO's PTA calculation found on PAIR.

Respectfully submitted,



Douglas J. Christensen  
Registration No. 35480

Customer No. 24113  
Patterson Thuent Christensen Pedersen, P.A.  
4800 IDS Center  
80 South 8th Street  
Minneapolis, Minnesota 55402-2100  
Telephone: 612.349.3001

*Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.*